



Granular Sulfur from Turkmenistan

Dear colleagues!

On behalf of the trade and logistics company, we can offer you Granular Sulfur from Turkmenistan. Production of the product is carried out by the State Concern " **Turkmengas** ", of below-mentioned specification and characteristics.

Exports of Sulfur from the manufacturer:

- **Product:** Granulated Sulfur (technical), TDS 127.1-93 / GOST 127.1-93;
- **Basis of delivery:** FOB Turkmenbashi port (Turkmenistan), FOB port Bandar-Abbas (Iran), or DAP;
- **Delivery:** we will provide to any region of the world;
- **Quantity:** from 3000 tons per month;
- **Packing:** bulk, bags 50kg, bags 1000kg (Big Bag).

Granular sulfur has various uses in the Industry, whether as a raw material, as an intermediate product or as an additive used to catalyse certain reactions.

Organization of supply:

Since the buyer must follow the General procedure of exporting raw materials from Turkmenistan through the exchange of the country, we can offer several delivery options.

1. **Through an export company.** The buyer makes an advance payment or issues a letter of credit (LC/ SBLC) to the export company, which buys the product on the exchange of Turkmenistan with its funds, and brings the product to the buyer's port.
2. **Through the legalization of the buyer on the exchange of Turkmenistan.** We become the principal of the buyer in Turkmenistan, prepare documents and bring the buyer directly to the commodity exchange of the country. Next, we provide the buyer for the purchase of the product, shipment, delivery to the buyer's port. At the same time, the buyer pays directly to the exchange at the lowest possible cost.

Logistics:

If desired, the buyer can take over the organization of shipments and logistics of delivery. If the buyer trusts its organization to us, we are ready to offer the following options, or to consider special offers of the buyer.

1. **FOB Turkmenbashi port, Turkmenistan.** This is the port of the Caspian sea, from which it is possible to effectively carry cargo by vessels of 3000 – 5000 tons.
2. **Delivery to the Black sea.** It can be carried out from April to October through Russia, along the Volga and Don rivers. Or through Azerbaijan and Georgia at any time of the year.
3. **FOB Bandar-Abbas port, Iran.** To the port cargo moves by rail.

Technical characteristics of Sulfur:

TDS 127.1-93 / GOST 127.1-93

TYPICAL PHYSICAL PROPERTIES Description of index	Figure
Mass fraction of sulfur, % not less than	99.95
Mass fraction of ash, % not less than	0.03
Mass fraction of organic compounds, % not more than	0.03
Mass fraction of acids converted to sulfuric acid, % not more than	0.003
* Mass fraction of moisture, % not more than	0.2
Presence of mechanical impurities	absent
Color	bright yellow

* in lump sulfur there is a possibility of increasing of mass fraction of moisture up to 2% providing recalculation of actual weight of overall volume for normalized moisture.

Production of Granular sulfur (for industrial use) in Turkmenistan:

State Concern "Turkmengas" year by year increases the volume of exported chemical products. One of the main of its direction is granular sulfur.

Applications:

- Manufacture of sulphuric acid;
- Manufacture of synthetic fibres (caprolactams);
- Vulcaniser in the Rubber industry.


















We invite you to cooperation!

If you are interested in above-mentioned product,
please free to contact us by our web-site or contacting details below.



Contacts

For any questions you can contact us:

Email: supply@provalue.ru

Site: <https://provalue.ru/en/>

Skype: filoxsee

Tel / WhatsApp: +7 904 175 7770